


## W. Fork Tuckasegee R., Thorpe bypass site - % (weighted equally for each season) of Species/Life Stages with < 80% of Unregulated Index B WUA Value







If seasonal Index B value is < 80% of unregulated value, table shows a "1". If index B value is > 120% of unregulated, table shows a ".01".

Season SPRING April - June Numbers in Red indicate low amount of habitat (seasonal unregulated index B < 1,000).

		1											,,			
			Traditional M	linimum Flow	,		Per	cent Meai	n Annual F	low			Per	cent Flow	-by	
Guild		Ann. 7Q10	Mon. 7Q10	Sep. Med.	Mon. Med.	10%	20%	30%	40%	50%	60%	70%	75%	80%	85%	90%
Shallow	EPHEM	0.01	0.01	0.01		0.01	0.01	0.01	0.01	0.01		0.01				
	PLECO	0.01	0.01	0.01			0.01	0.01	0.01	0.01		0.01				
	NHSJ	0.01	0.01	0.01			0.01	0.01	0.01	0.01						
	RBTF	0.01				0.01	0.01	0.01								
	BNDJ	0.01	0.01			0.01	0.01	0.01								
	BNDF	0.01	0.01	0.01		0.01	0.01	0.01	0.01	0.01	0.01	0.01				
	BNDS	0.01	0.01	0.01		0.01	0.01	0.01	0.01	0.01		0.01	0.01	0.01		
	BRTJ	0.01	0.01	0.01		0.01	0.01	0.01	0.01	0.01		0.01				
	BRTF	0.01	0.01	0.01		0.01	0.01	0.01	0.01	0.01						
	LNDX	0.01	0.01	0.01		1		0.01	0.01	0.01						
	CRCA	0.01	0.01	0.01		0.01	0.01	0.01	0.01			0.01				
	CRCY	0.01				0.01	0.01	0.01								
Deep	TRIC	0.01	0.01	0.01		0.01	0.01	0.01	0.01	0.01						
	MTSX					1										
	NHSA	0.01	0.01	0.01		1		0.01	0.01							
	RBTA	0.01	0.01	0.01		0.01	0.01	0.01	0.01	0.01		0.01	0.01			
	RBTS					1	1									
	BRTA	0.01	0.01	0.01		0.01	0.01	0.01	0.01							
	BRTS	0.01	0.01	0.01			0.01	0.01	0.01	0.01						
Tota	out of 19	0.17	0.15	0.14	0	4.12	1.15	0.17	0.14	0.11	0.01	0.07	0.02	0.01	0	0
tot	al < 80%	0	0	0	0	4	1	0	0	0	0	0	0	0	0	0
tota	al > 120%	17	15	14	0	12	15	17	14	11	1	7	2	1	0	0
Tota	out of 19	17	15	14	0	16	16	17	14	11	1	7	2	1	0	0
•	< 80%															
% for jus	st this season	0.0%	0.0%	0.0%	0.0%	21.1%	5.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
% weight	ted equally by	0.0%	0.0%	0.0%	0.0%	5.3%	1.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
s	eason											Ī				
>	120%		•		•	•	•	•	•	•		•				1
% for jus	st this season	89.5%	78.9%	73.7%	0.0%	63.2%	78.9%	89.5%	73.7%	57.9%	5.3%	36.8%	10.5%	5.3%	0.0%	0.0%
	ted equally by	22.4%	19.7%	18.4%	0.0%	15.8%	19.7%	22.4%	18.4%	14.5%	1.3%	9.2%	2.6%	1.3%	0.0%	0.0%
_	eason															<u> </u>

## Table shows percentage of unregulated Index B value achieved by flow scenario

Season SPRING April - June Highlighted cells are those >120% or < 80%

			Traditional M	linimum Flow	,	1	Minimum :	= Percent	Mean Ani	nual Flow			Per	cent Flow	-by	
Guild		Ann. 7Q10	Mon. 7Q10	Sep. Med.	Mon. Med.	10%	20%	30%	40%	50%	60%	70%	75%	80%	85%	90%
Shallow	EPHEM	159.0%	146.1%	130.5%	110.9%	159.1%	170.1%	160.0%	142.6%	126.9%	116.8%	124.1%	119.5%	115.1%	111.0%	107.1%
	PLECO	154.3%	147.0%	134.9%	111.1%	106.7%	139.8%	154.2%	144.5%	131.5%	119.1%	122.8%	119.0%	115.1%	111.1%	107.2%
	NHSJ	143.6%	136.0%	124.9%	107.5%	89.9%	140.5%	143.8%	133.5%	122.1%	112.6%	118.3%	115.0%	111.7%	108.5%	105.5%
	RBTF	142.3%	119.5%	113.6%	110.0%	294.0%	207.9%	145.6%	115.8%	113.6%	112.1%	114.4%	110.8%	107.9%	105.5%	103.5%
	BNDJ	131.6%	121.9%	115.8%	108.7%	134.3%	144.5%	132.7%	119.9%	114.8%	111.3%	113.2%	110.6%	108.2%	106.0%	103.9%
	BNDF	150.0%	136.1%	125.7%	115.6%	251.4%	192.1%	152.0%	133.3%	124.4%	121.2%	121.0%	116.9%	113.0%	109.5%	106.2%
	BNDS	223.1%	174.4%	135.1%	113.0%	374.6%	319.8%	228.1%	163.2%	128.3%	115.7%	142.8%	132.9%	124.4%	116.9%	110.5%
	BRTJ	155.4%	140.0%	124.8%	108.1%	156.3%	174.0%	156.8%	136.2%	121.4%	112.4%	121.8%	117.4%	113.4%	109.6%	106.2%
	BRTF	146.6%	135.5%	123.4%	105.3%	129.8%	152.9%	147.5%	132.7%	120.2%	110.6%	118.2%	114.8%	111.5%	108.4%	105.4%
	LNDX	124.8%	128.6%	125.9%	112.8%	73.1%	109.1%	124.2%	129.0%	124.3%	117.8%	113.5%	111.8%	109.7%	107.5%	105.1%
	CRCA	152.5%	137.9%	122.2%	106.8%	156.0%	171.1%	153.7%	134.1%	118.8%	110.4%	120.3%	116.2%	112.4%	108.9%	105.6%
	CRCY	128.5%	116.5%	111.7%	111.7%	249.6%	176.1%	130.5%	114.6%	112.3%	115.3%	111.2%	108.8%	106.7%	104.8%	103.2%
Deep	TRIC	144.9%	140.0%	128.4%	110.5%	120.1%	135.9%	144.8%	138.1%	125.3%	116.2%	119.7%	116.4%	113.1%	109.6%	106.3%
	MTSX	94.1%	96.8%	99.2%	102.7%	71.5%	86.8%	93.7%	97.4%	99.9%	102.2%	98.3%	98.8%	99.1%	99.4%	99.7%
	NHSA	123.4%	125.4%	121.3%	108.8%	59.1%	102.7%	122.8%	125.3%	119.6%	113.6%	111.0%	109.6%	107.9%	106.1%	104.1%
	RBTA	161.8%	149.5%	129.5%	109.1%	137.6%	161.2%	162.2%	145.6%	125.0%	113.7%	125.1%	120.3%	115.8%	111.4%	107.3%
	RBTS	94.9%	108.4%	117.7%	113.7%	27.6%	75.1%	93.6%	111.6%	119.0%	119.2%	100.5%	101.3%	101.6%	101.6%	101.4%
	BRTA	143.0%	133.1%	122.1%	107.8%	126.4%	147.0%	143.7%	130.6%	119.6%	112.2%	117.5%	114.2%	111.0%	108.0%	105.2%
	BRTS	129.2%	127.3%	121.5%	110.2%	100.1%	123.0%	129.1%	126.3%	120.0%	114.6%	114.1%	111.9%	109.5%	107.2%	104.8%
AV	ERAGE	142.3%	132.6%	122.5%	109.7%	148.3%	154.2%	143.1%	130.2%	120.4%	114.0%	117.3%	114.0%	110.9%	108.0%	105.2%
M	EDIAN	143.6%	135.5%	123.4%	110.0%	129.8%	147.0%	144.8%	132.7%	120.2%	113.7%	118.2%	114.8%	111.5%	108.4%	105.4%
MII	MUMIN	94.1%	96.8%	99.2%	102.7%	27.6%	75.1%	93.6%	97.4%	99.9%	102.2%	98.3%	98.8%	99.1%	99.4%	99.7%
MA	XIMUM	223.1%	174.4%	135.1%	115.6%	374.6%	319.8%	228.1%	163.2%	131.5%	121.2%	142.8%	132.9%	124.4%	116.9%	110.5%

If seasonal Index B value is < 80% of unregulated value, table shows a "1". If index B value is > 120% of unregulated, table shows a ".01".

Season SUMMER

July - September

Numbers in Red indicate low amount of habitat (seasonal unregulated index B < 1,000).

		,		Per	cent Meai	n Annual F	low			Per	cent Flow	/-by				
Guild		Ann. 7Q10	Mon. 7Q10	Sep. Med.	Mon. Med.	10%	20%	30%	40%	50%	60%	70%	75%	80%	85%	90%
Shallow	EPHEM	0.01	0.01			0.01	0.01	0.01	0.01							
	PLECO	0.01	0.01					0.01	0.01							
	NHSJ	0.01	0.01			1	0.01	0.01								
	RBTF	0.01	0.01			0.01	0.01	0.01								
	BNDJ					0.01	0.01									
	BNDF	0.01	0.01			0.01	0.01	0.01								
	BNDS	0.01	0.01			0.01	0.01	0.01	0.01			0.01	0.01	0.01		
	BRTJ	0.01	0.01			0.01	0.01	0.01								
	BRTF	0.01	0.01				0.01	0.01								
	LNDX					1										
	CRCA	0.01	0.01			0.01	0.01	0.01								
	CRCY					0.01	0.01									
Deep	TRIC	0.01	0.01					0.01								
	MTSX					1										
	NHSA					1										
	RBTA	0.01	0.01				0.01	0.01	0.01			0.01				
	RBTS					1	1									
	BRTA	0.01	0.01				0.01	0.01								
	BRTS															
Tota	al out of 19	0.12	0.12	0	0	5.08	1.12	0.12	0.04	0	0	0.02	0.01	0.01	0	0
to	tal < 80%	0	0	0	0	5	1	0	0	0	0	0	0	0	0	0
to	tal > 120%	12	12	0	0	8	12	12	4	0	0	2	1	1	0	0
Tota	al out of 19	12	12	0	0	13	13	12	4	0	0	2	1	1	0	0
	< 80%															
% for ju	ust this season	0.0%	0.0%	0.0%	0.0%	26.3%	5.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
% weigh	nted equally by	0.0%	0.0%	0.0%	0.0%	6.6%	1.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	season															İ
1	> 120%				•		•	•	•	•	•	•		•	•	
% for ju	ust this season	63.2%	63.2%	0.0%	0.0%	42.1%	63.2%	63.2%	21.1%	0.0%	0.0%	10.5%	5.3%	5.3%	0.0%	0.0%
	nted equally by	15.8%	15.8%	0.0%	0.0%	10.5%	15.8%	15.8%	5.3%	0.0%	0.0%	2.6%	1.3%	1.3%	0.0%	0.0%
	season															İ

## Table shows percentage of unregulated Index B value achieved by flow scenario

| Season | SUMMER | July - September | Highlighted cells are those >120% or < 80%

			T	totorous Elect			N 411	Damasa	. D.4 A				D		. I	
0 11 1										nual Flow		700/		cent Flow		0.007
Guild					Mon. Med.	10%	20%	30%	40%	50%	60%	70%	75%	80%	85%	90%
Shallow	EPHEM	133.0%	131.4%	112.2%	111.1%	133.1%	142.3%	133.8%	120.3%	109.9%	104.4%	119.7%	116.2%	112.8%	109.4%	106.2%
	PLECO	128.2%	127.2%	114.4%	112.8%	88.7%	116.2%	128.2%	120.8%	112.2%	105.6%	115.0%	113.2%	111.0%	108.6%	105.9%
	NHSJ	124.7%	123.7%	110.7%	109.5%	78.0%	122.0%	124.8%	116.7%	108.8%	103.5%	114.2%	112.0%	109.6%	107.2%	104.9%
	RBTF	129.1%	125.1%	104.3%	104.5%	266.7%	188.6%	132.1%	105.9%	104.3%	103.4%	119.3%	114.1%	110.1%	106.8%	104.1%
	BNDJ	118.8%	117.2%	105.8%	105.5%	121.2%	130.4%	119.8%	108.8%	105.1%	103.1%	111.6%	109.3%	107.2%	105.2%	103.3%
	BNDF	127.4%	125.5%	108.7%	108.9%	213.5%	163.1%	129.0%	113.9%	107.9%	106.2%	118.2%	114.3%	110.7%	107.6%	104.7%
	BNDS	174.0%	167.8%	112.5%	111.6%	292.1%	249.3%	177.9%	130.1%	108.5%	102.0%	144.9%	134.9%	126.2%	118.4%	111.5%
	BRTJ	133.3%	131.2%	110.1%	109.0%	134.1%	149.2%	134.5%	117.9%	107.9%	102.8%	119.8%	116.0%	112.5%	109.1%	105.9%
	BRTF	128.4%	126.8%	110.6%	109.2%	113.7%	134.0%	129.2%	117.0%	108.4%	102.9%	116.5%	113.6%	110.7%	107.9%	105.2%
	LNDX	108.7%	109.4%	110.0%	108.9%	63.7%	95.0%	108.2%	112.3%	108.9%	105.2%	104.4%	104.4%	104.1%	103.4%	102.5%
	CRCA	132.4%	130.4%	109.2%	108.4%	135.4%	148.6%	133.5%	117.6%	107.0%	102.3%	119.2%	115.6%	112.1%	108.8%	105.6%
	CRCY	117.3%	115.5%	103.0%	104.2%	228.0%	160.8%	119.2%	105.1%	103.5%	105.4%	112.5%	109.2%	106.5%	104.3%	102.5%
Deep	TRIC	123.3%	122.8%	111.6%	110.5%	102.2%	115.6%	123.2%	118.2%	109.5%	104.5%	112.9%	111.3%	109.4%	107.2%	104.9%
	MTSX	94.7%	95.2%	99.4%	99.7%	72.1%	87.4%	94.4%	97.9%	99.9%	101.4%	96.6%	97.3%	97.9%	98.5%	99.0%
	NHSA	110.2%	110.6%	109.0%	108.1%	52.7%	91.7%	109.6%	111.9%	107.8%	104.4%	104.3%	104.4%	104.1%	103.4%	102.5%
	RBTA	135.1%	133.8%	112.1%	110.9%	114.9%	134.6%	135.5%	122.8%	109.2%	103.0%	120.2%	116.9%	113.5%	110.0%	106.6%
	RBTS	88.8%	90.9%	108.1%	107.9%	25.8%	70.3%	87.6%	103.5%	109.1%	108.9%	91.5%	93.8%	95.6%	97.2%	98.4%
	BRTA	125.3%	123.9%	109.2%	108.4%	110.7%	128.8%	125.9%	115.2%	107.5%	103.3%	114.8%	112.3%	109.7%	107.2%	104.7%
	BRTS	114.0%	113.9%	108.4%	107.8%	88.2%	108.5%	113.9%	111.8%	107.4%	104.4%	108.2%	107.2%	105.9%	104.6%	103.1%
ΑV	/ERAGE	123.5%	122.2%	108.9%	108.3%	128.1%	133.5%	124.2%	114.1%	107.5%	104.0%	113.9%	111.4%	108.9%	106.6%	104.3%
IV	1EDIAN	125.3%	123.9%	109.2%	108.9%	113.7%	130.4%	125.9%	115.2%	107.9%	103.5%	114.8%	112.3%	109.7%	107.2%	104.7%
MI	NIMUM	88.8%	90.9%	99.4%	99.7%	25.8%	70.3%	87.6%	97.9%	99.9%	101.4%	91.5%	93.8%	95.6%	97.2%	98.4%
MA	AXIMUM	174.0%	167.8%	114.4%	112.8%	292.1%	249.3%	177.9%	130.1%	112.2%	108.9%	144.9%	134.9%	126.2%	118.4%	+

If seasonal Index B value is < 80% of unregulated value, table shows a "1". If index B value is > 120% of unregulated, table shows a ".01".

Season FALL October & November Numbers in Red indicate low amount of habitat (seasonal unregulated index B < 1,000).

Scason	.,,,	1 000000. 0											,,			
			Traditional M	linimum Flow	,		Per	cent Mea	ո Annual F	low			Per	cent Flow	-by	
Guild		Ann. 7Q10	Mon. 7Q10	Sep. Med.	Mon. Med.	10%	20%	30%	40%	50%	60%	70%	75%	80%	85%	90%
Shallow	EPHEM	0.01	0.01	0.01		0.01	0.01	0.01	0.01	0.01		0.01	0.01			
	PLECO	0.01	0.01	0.01			0.01	0.01	0.01	0.01	0.01	0.01	0.01			
	NHSJ	0.01	0.01	0.01			0.01	0.01	0.01	0.01		0.01				
	RBTF	0.01				0.01	0.01	0.01								
	BNDJ	0.01				0.01	0.01	0.01	0.01							
	BNDF	0.01	0.01	0.01		0.01	0.01	0.01	0.01	0.01	0.01	0.01				
	BNDS	0.01	0.01	0.01		0.01	0.01	0.01	0.01	0.01		0.01	0.01			
	BRTJ	0.01	0.01	0.01		0.01	0.01	0.01	0.01	0.01		0.01				
	BRTF	0.01	0.01	0.01		0.01	0.01	0.01	0.01	0.01		0.01				
	LNDX	0.01	0.01	0.01		1		0.01	0.01	0.01						
	CRCA	0.01	0.01	0.01		0.01	0.01	0.01	0.01	0.01		0.01				
	CRCY	0.01				0.01	0.01	0.01								
Deep	TRIC	0.01	0.01	0.01		0.01	0.01	0.01	0.01	0.01		0.01				
	MTSX					1										
	NHSA	0.01	0.01	0.01		1		0.01	0.01	0.01						
	RBTA	0.01	0.01	0.01		0.01	0.01	0.01	0.01	0.01		0.01	0.01			
	RBTS					1	1									
	BRTA	0.01	0.01	0.01		0.01	0.01	0.01	0.01	0.01						
	BRTS	0.01	0.01	0.01			0.01	0.01	0.01	0.01						
Tota	l out of 19	0.17	0.14	0.14	0	4.12	1.15	0.17	0.15	0.14	0.02	0.1	0.04	0	0	0
tot	al < 80%	0	0	0	0	4	1	0	0	0	0	0	0	0	0	0
tota	al > 120%	17	14	14	0	12	15	17	15	14	2	10	4	0	0	0
Tota	l out of 19	17	14	14	0	16	16	17	15	14	2	10	4	0	0	0
	< 80%															
% for ju	st this season	0.0%	0.0%	0.0%	0.0%	21.1%	5.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
% weigh	ted equally by	0.0%	0.0%	0.0%	0.0%	5.3%	1.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	eason															
>	120%				•	•		•								<u> </u>
% for ju	st this season	89.5%	73.7%	73.7%	0.0%	63.2%	78.9%	89.5%	78.9%	73.7%	10.5%	52.6%	21.1%	0.0%	0.0%	0.0%
% weigh	ted equally by	22.4%	18.4%	18.4%	0.0%	15.8%	19.7%	22.4%	19.7%	18.4%	2.6%	13.2%	5.3%	0.0%	0.0%	0.0%
s	eason															
					L											

Table shows percentage of unregulated Index B value achieved by flow scenario

Season FALL October & November Highlighted cells are those >120% or < 80%

			Traditional M	inimum Flow	,		Minimum	= Percent	t Maan An	nual Flow	,		Do	rcent Flow	-hv	
Guild		Ann. 7Q10	Mon. 7Q10	Sep. Med.	Mon. Med.	10%	20%	30%	40%	50%	60%	70%	75%	80%	85%	90%
Shallow	EPHEM	167.0%	142.7%	136.1%	110.7%	167.1%	178.6%	168.0%	149.8%	131.7%	119.2%	126.3%	121.1%	116.3%	111.7%	107.6%
Silaliow	PLECO	164.4%	147.3%	142.9%	111.7%	113.7%	148.9%	164.3%	154.0%	138.6%	123.1%	129.4%	124.0%	118.7%	113.5%	107.5%
	NHSJ	150.3%	134.6%	130.0%	108.0%	94.1%	147.1%	150.5%	139.7%	126.5%	114.9%	121.3%	117.1%	113.1%	109.3%	105.9%
	RBTF	141.7%	115.8%	113.1%	108.1%	292.9%	207.1%	145.0%	115.4%	113.0%	111.3%	110.3%	108.5%	106.7%	105.0%	103.5%
	BNDJ	132.7%	119.1%	116.5%	107.5%	135.4%	145.7%	133.8%	120.9%	115.3%	111.1%	112.3%	110.0%	107.9%	105.8%	103.9%
	BNDF	152.3%	132.1%	127.0%	113.1%	255.2%	195.0%	154.3%	135.3%	125.5%	121.7%	120.5%	117.2%	113.8%	110.5%	107.0%
	BNDS	234.4%	158.4%	139.7%	112.4%	393.6%	336.0%	239.7%	171.5%	131.2%	115.8%	134.5%	125.9%	118.7%	112.8%	107.9%
	BRTJ	161.8%	135.5%	129.1%	108.1%	162.8%	181.2%	163.3%	141.8%	124.9%	113.9%	121.9%	117.3%	113.2%	109.4%	105.9%
	BRTF	154.4%	133.8%	129.3%	105.9%	136.7%	161.1%	155.3%	139.8%	125.3%	113.3%	120.7%	116.6%	112.8%	109.2%	105.9%
	LNDX	127.4%	128.6%	128.3%	111.4%	74.6%	111.3%	126.8%	131.6%	126.4%	118.6%	118.5%	115.8%	112.8%	109.6%	106.4%
	CRCA	158.4%	132.9%	126.0%	107.0%	162.1%	177.9%	159.8%	139.4%	121.9%	111.7%	120.0%	115.7%	111.8%	108.2%	105.2%
	CRCY	128.0%	114.4%	111.1%	109.1%	248.6%	175.4%	130.0%	114.2%	111.8%	114.9%	109.7%	108.5%	107.3%	105.8%	104.1%
Deep	TRIC	151.3%	138.0%	133.3%	110.3%	125.4%	141.9%	151.2%	144.3%	129.5%	118.3%	123.6%	119.2%	114.9%	110.8%	107.0%
	MTSX	92.3%	96.7%	97.5%	101.3%	70.2%	85.2%	92.0%	95.6%	98.3%	100.9%	97.7%	98.3%	98.9%	99.4%	99.7%
	NHSA	127.1%	125.7%	124.5%	108.3%	60.8%	105.8%	126.4%	129.0%	122.5%	115.3%	116.2%	113.7%	110.9%	108.2%	105.4%
	RBTA	170.4%	144.1%	135.1%	109.4%	144.9%	169.8%	170.9%	153.3%	129.5%	115.5%	126.5%	120.8%	115.6%	110.9%	106.9%
	RBTS	92.8%	111.3%	115.7%	110.8%	27.0%	73.5%	91.6%	109.2%	117.1%	117.4%	105.9%	106.4%	106.2%	105.4%	103.9%
	BRTA	148.1%	130.3%	125.8%	107.7%	130.9%	152.3%	148.8%	135.3%	122.8%	113.8%	118.8%	115.1%	111.7%	108.5%	105.4%
	BRTS	132.1%	126.4%	123.8%	109.1%	102.3%	125.8%	132.0%	129.1%	122.0%	115.5%	116.7%	113.9%	111.1%	108.2%	105.4%
AV	'ERAGE	146.7%	129.9%	125.5%	108.9%	152.5%	158.9%	147.6%	134.2%	122.8%	115.1%	118.5%	115.0%	111.7%	108.5%	105.6%
М	EDIAN	150.3%	132.1%	127.0%	109.1%	135.4%	152.3%	150.5%	135.3%	124.9%	115.3%	120.0%	115.8%	112.8%	109.2%	105.9%
MII	NIMUM	92.3%	96.7%	97.5%	101.3%	27.0%	73.5%	91.6%	95.6%	98.3%	100.9%	97.7%	98.3%	98.9%	99.4%	99.7%
MA	XIMUM	234.4%	158.4%	142.9%	113.1%	393.6%	336.0%	239.7%	171.5%	138.6%	123.1%	134.5%	125.9%	118.7%	113.5%	108.7%

If seasonal Index B value is < 80% of unregulated value, table shows a "1". If index B value is > 120% of unregulated, table shows a ".01".

Season WINTER December - March Numbers in Red indicate low amount of habitat (seasonal unregulated index B < 1,000).

•••••	***************************************								`		-0		, ,			
			Traditional M	linimum Flow	,		Per	cent Meai	n Annual F	low			Per	cent Flow	-by	
Guild		Ann. 7Q10	Mon. 7Q10	Sep. Med.	Mon. Med.	10%	20%	30%	40%	50%	60%	70%	75%	80%	85%	90%
Shallow	EPHEM	0.01	0.01	0.01		0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01			
	PLECO	0.01	0.01	0.01		0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01			
	NHSJ	0.01	0.01	0.01			0.01	0.01	0.01	0.01	0.01	0.01				
	RBTF	0.01	0.01	0.01		0.01	0.01	0.01	0.01	0.01	0.01					
	BNDJ	0.01	0.01	0.01		0.01	0.01	0.01	0.01	0.01	0.01					
	BNDF	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01			
	BNDS	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01		
	BRTJ	0.01	0.01	0.01		0.01	0.01	0.01	0.01	0.01	0.01	0.01				
	BRTF	0.01	0.01	0.01		0.01	0.01	0.01	0.01	0.01	0.01	0.01				
	LNDX	0.01	0.01	0.01			0.01	0.01	0.01	0.01	0.01	0.01	0.01			
	CRCA	0.01	0.01	0.01		0.01	0.01	0.01	0.01	0.01	0.01					
	CRCY	0.01	0.01	0.01		0.01	0.01	0.01	0.01	0.01	0.01					
Deep	TRIC	0.01	0.01	0.01		0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01			
	MTSX					1										
	NHSA	0.01	0.01	0.01		1	0.01	0.01	0.01	0.01	0.01					
	RBTA	0.01	0.01	0.01		0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01			
	RBTS		0.01	0.01		1			0.01	0.01	0.01					
	BRTA	0.01	0.01	0.01		0.01	0.01	0.01	0.01	0.01	0.01					
	BRTS	0.01	0.01	0.01			0.01	0.01	0.01	0.01	0.01	0.01				
Tota	l out of 19	0.17	0.18	0.18	0.02	3.13	0.17	0.17	0.18	0.18	0.18	0.11	0.07	0.01	0	0
tot	:al < 80%	0	0	0	0	3	0	0	0	0	0	0	0	0	0	0
tota	al > 120%	17	18	18	2	13	17	17	18	18	18	11	7	1	0	0
Tota	l out of 19	17	18	18	2	16	17	17	18	18	18	11	7	1	0	0
,	< 80%															
% for ju	st this season	0.0%	0.0%	0.0%	0.0%	15.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
% weigh	ted equally by	0.0%	0.0%	0.0%	0.0%	3.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
s	season															
>	> 120%		I.		ı											
% for iu	st this season	89.5%	94.7%	94.7%	10.5%	68.4%	89.5%	89.5%	94.7%	94.7%	94.7%	57.9%	36.8%	5.3%	0.0%	0.0%
	ted equally by	22.4%	23.7%	23.7%	2.6%	17.1%	22.4%	22.4%	23.7%	23.7%	23.7%	14.5%	9.2%	1.3%	0.0%	0.0%
_	season														'	

## Table shows percentage of unregulated Index B value achieved by flow scenario

Season WINTER

December - March

Highlighted cells are those >120% or < 80%

	Traditional Minimum Flow Ann. 7Q10 Mon. 7Q10 Sep. Med. Mon. N				,		Minimum =	Percent N	Mean Ann	ual Flow			Per	cent Flow	-by	
Guild		Ann. 7Q10	Mon. 7Q10	Sep. Med.	Mon. Med.	10%	20%	30%	40%	50%	60%	70%	75%	80%	85%	90%
Shallow	EPHEM	199.2%	141.3%	162.4%	114.6%	199.3%	213.1%	200.4%	178.7%	157.1%	140.0%	128.4%	122.6%	117.3%	112.4%	108.0%
	PLECO	197.2%	146.2%	171.3%	111.4%	136.3%	178.6%	197.0%	184.6%	166.2%	144.7%	130.9%	124.6%	118.8%	113.4%	108.4%
	NHSJ	170.3%	129.8%	147.3%	108.8%	106.7%	166.7%	170.6%	158.4%	143.4%	128.2%	120.9%	116.6%	112.5%	108.9%	105.6%
	RBTF	162.1%	126.9%	129.4%	115.7%	334.9%	236.9%	165.8%	131.9%	129.2%	126.9%	116.2%	113.6%	111.0%	108.4%	105.6%
	BNDJ	150.5%	125.6%	132.2%	113.8%	153.6%	165.2%	151.8%	137.1%	130.8%	125.3%	116.7%	113.7%	110.9%	108.1%	105.3%
	BNDF	189.6%	148.9%	158.1%	123.2%	317.7%	242.7%	192.0%	168.4%	156.2%	150.7%	129.9%	124.9%	120.0%	115.0%	110.1%
	BNDS	293.5%	146.8%	174.9%	127.3%	492.7%	420.6%	300.1%	214.7%	164.3%	142.6%	135.6%	127.1%	120.0%	114.2%	109.0%
	BRTJ	186.6%	131.0%	148.8%	113.0%	187.7%	208.9%	188.2%	163.5%	144.1%	129.4%	123.1%	118.3%	113.9%	109.9%	106.3%
	BRTF	172.6%	126.0%	144.4%	105.8%	152.8%	180.0%	173.6%	156.2%	140.0%	124.7%	120.2%	116.2%	112.5%	109.0%	105.7%
	LNDX	154.0%	142.2%	155.1%	119.1%	90.2%	134.6%	153.2%	159.1%	152.7%	141.8%	127.0%	122.2%	117.5%	112.9%	108.4%
	CRCA	178.3%	125.6%	141.8%	110.7%	182.4%	200.2%	179.8%	156.9%	137.2%	124.0%	119.3%	115.1%	111.3%	108.0%	105.0%
	CRCY	146.4%	129.1%	127.1%	115.0%	284.3%	200.6%	148.6%	130.5%	127.8%	131.9%	115.5%	113.3%	111.0%	108.5%	105.8%
Deep	TRIC	178.1%	138.3%	156.9%	113.4%	147.6%	167.0%	177.9%	169.8%	152.4%	137.2%	125.7%	120.4%	115.6%	111.2%	107.1%
	MTSX	94.3%	103.0%	99.6%	104.7%	71.7%	87.1%	94.0%	97.7%	100.4%	103.6%	101.1%	101.3%	101.4%	101.3%	101.0%
	NHSA	144.2%	129.6%	141.3%	109.6%	69.0%	120.0%	143.4%	146.4%	139.0%	129.5%	118.8%	115.3%	112.0%	108.8%	105.7%
	RBTA	199.5%	135.6%	158.2%	113.5%	169.7%	198.8%	200.1%	179.5%	151.6%	132.9%	126.0%	120.2%	115.2%	110.8%	106.9%
	RBTS	107.0%	132.5%	133.3%	114.2%	31.1%	84.7%	105.6%	125.9%	135.0%	135.3%	115.3%	113.7%	111.5%	109.0%	106.3%
	BRTA	168.2%	128.6%	142.9%	110.4%	148.7%	173.0%	169.0%	153.6%	139.4%	127.7%	120.0%	116.0%	112.3%	108.9%	105.7%
	BRTS	153.2%	133.0%	143.6%	113.8%	118.6%	145.9%	153.1%	149.8%	141.6%	132.8%	121.2%	117.3%	113.7%	110.1%	106.6%
A۱	/ERAGE	170.8%	132.6%	145.7%	113.6%	178.7%	185.5%	171.8%	155.9%	142.5%	132.1%	121.7%	117.5%	113.6%	109.9%	106.5%
IV	IEDIAN	170.3%	131.0%	144.4%	113.5%	152.8%	178.6%	170.6%	156.9%	141.6%	131.9%	120.9%	116.6%	112.5%	109.0%	106.3%
MI	NIMUM	94.3%	103.0%	99.6%	104.7%	31.1%	84.7%	94.0%	97.7%	100.4%	103.6%	101.1%	101.3%	101.4%	101.3%	101.0%
MA	AXIMUM	293.5%	148.9%	174.9%	127.3%	492.7%	420.6%	300.1%	214.7%	166.2%	150.7%	135.6%	127.1%	120.0%	115.0%	110.1%